

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023  
Version: 8.0  
Replaces version: 7.0  
Language: en-GB  
Date of print: 4/12/2023

### Kryo 70

Material number LZB x27

Page: 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Kryo 70

This safety data sheet pertains to the following products:

LZB 127: 5 L

LZB 227: 10 L

LZB 327: 20 L

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Heat transfer fluids  
Industrial use  
Professional uses / Public domain

### 1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG

Street/POB-No.: Laudaplatz 1

Postal Code, city: 97922 Lauda-Königshofen  
Germany

WWW: www.lauda.de

E-mail: info@lauda.de

Telephone: +49 (0)9343-503-0

Telefax: +49 (0)9343-503-222

Department responsible for information:  
Department Quality Management,  
Telephone: +49 9343 503-331, e-mail info@lauda.de

### 1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)  
Telephone: 844 892 0111

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

### 2.3 Other hazards

Product is combustible.  
Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:  
No data available

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023  
Version: 8.0  
Replaces version: 7.0  
Language: en-GB  
Date of print: 4/12/2023

### Kryo 70

Material number LZB x27

Page: 2 of 8

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: Polydimethylsiloxane and Polymethylphenylsiloxane

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse.

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact: Remove residues with soap and water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Due to the formation of an oil film on the eye ball sight may be reversibly clouded.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Foam, extinguishing powder, carbon dioxide, atomized water

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Flammable liquid.  
May form dangerous gases and vapours in case of fire.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus. Wear suitable protective clothing.

Additional information:

Hazchem-Code: -

Do not allow fire water to penetrate into surface or ground water.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023  
Version: 8.0  
Replaces version: 7.0  
Language: en-GB  
Date of print: 4/12/2023

### Kryo 70

Material number LZB x27

Page: 3 of 8

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the substance.  
Avoid breathing mist/vapours/spray.  
Ensure adequate ventilation, especially in confined areas.  
Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

### 6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling: Avoid breathing mist/vapours/spray.  
Avoid contact with skin and eyes.  
Wear appropriate protective equipment.  
Provide adequate ventilation, and local exhaust as needed. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product.

Precautions against fire and explosion:

Keep away from sources of ignition and heat.  
Take precautionary measures against static discharges.  
When using product or filling containers, use only grounded equipment with bonding leads.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store in well closed containers in a cool, dry, well-ventilated area. Store only in original container.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

When aerosols and vapours form: Withdraw by suction.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023  
Version: 8.0  
Replaces version: 7.0  
Language: en-GB  
Date of print: 4/12/2023

### Kryo 70

Material number LZB x27

Page: 4 of 8

#### Personal protection equipment

##### Occupational exposure controls

Respiratory protection:	Respiratory protection in case of aerosol or vapour formation Use filter type A (= against vapours of organic substances) according to BS EN 14387.
Hand protection:	Protective gloves according to BS EN 374. Glove material: Nitrile rubber Breakthrough time: >480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to BS EN ISO 16321-1:2022.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

#### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: liquid Colour: colourless
Odour:	odourless
Odour threshold:	No data available
pH:	at 20 °C: neutral
Melting point/freezing point:	<= -96 °C
Initial boiling point and boiling range:	Decomposition > 275 °C (1013 mbar)
Flash point/flash point range:	> 121 °C (DIN 51376)
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	at 20 °C: 6 hPa at 50 °C: 23 hPa
Vapour density:	No data available
Density:	at 20 °C: 0.92 g/mL
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.
Viscosity, kinematic:	at -80 °C: 130 mm <sup>2</sup> /s at 0 °C: 7.5 mm <sup>2</sup> /s
Explosive properties:	No data available
Oxidizing characteristics:	No data available

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023  
Version: 8.0  
Replaces version: 7.0  
Language: en-GB  
Date of print: 4/12/2023

### Kryo 70

Material number LZB x27

Page: 5 of 8

## 9.2 Other information

Ignition temperature: > 420 °C (Zündgruppe G2)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

refer to 10.3

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

Keep away from sources of ignition and heat.

### 10.5 Incompatible materials

strong oxidizing agents

### 10.6 Hazardous decomposition products

Thermal decomposition: No hazardous decomposition products when regulations for storage and handling are observed. Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity: LD50 Rat, oral: > 5000 mg/kg

Toxicological effects: Acute toxicity (oral): Based on available data, the classification criteria are not met.  
Acute toxicity (dermal): Based on available data, the classification criteria are not met.  
Acute toxicity (inhalative): Lack of data.  
Skin corrosion/irritation: Lack of data. Due to the formation of an oil film on the eye ball sight may be reversibly clouded.  
Serious eye damage/irritation: Based on available data, the classification criteria are not met.  
Sensitisation to the respiratory tract: Lack of data.  
Skin sensitisation: Lack of data.  
Germ cell mutagenicity/Genotoxicity: Lack of data.  
Carcinogenicity: Lack of data.  
Reproductive toxicity: Lack of data.  
Effects on or via lactation: Lack of data.  
Specific target organ toxicity (single exposure): Lack of data.  
Specific target organ toxicity (repeated exposure): Lack of data.  
Aspiration hazard: Lack of data.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023  
Version: 8.0  
Replaces version: 7.0  
Language: en-GB  
Date of print: 4/12/2023

### Kryo 70

Material number LZB x27

Page: 6 of 8

Other information: Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).

## SECTION 12: Ecological information

### 12.1 Toxicity

Further details: No data available

### 12.2 Persistence and degradability

Further details: Polydimethylsiloxane are to a certain extent partly degradable through abiotic processes.

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 07 02 17 = waste containing silicones

Recommendation: Special waste. Dispose of waste according to applicable legislation.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.  
Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 29/9/2023  
Version: 8.0  
Replaces version: 7.0  
Language: en-GB  
Date of print: 4/12/2023

### Kryo 70

Material number LZB x27

Page: 7 of 8

#### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.5 Environmental hazards

Marine pollutant: no

#### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

## SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations - Great Britain

Hazchem-Code: -  
No data available

#### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

#### Further information

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EN: European Standard  
EQ: Excepted quantities  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
LD50: Lethal dose 50%  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 1: Product identifier  
Date of first version: 23/10/2012

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

### Kryo 70

Material number LZB x27

Revision date: 29/9/2023

Version: 8.0

Replaces version: 7.0

Language: en-GB

Date of print: 4/12/2023

Page: 8 of 8

#### Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.